

STAXX SPEARS

HAND PALLET TRUCK

HPT

Make
Your Job
Easier

www.staxxmhe.com


MADE IN INDIA

🇪🇺 **NO ANTI-DUMPING DUTY**

🇪🇺 **0% IMPORT DUTY**



**HOT
GALVANIZED**



QUICK LIFT

HPT

STANDARD TYPE

MADE IN INDIA




NO ANTI-DUMPING DUTY



0% IMPORT DUTY

HAND PALLET TRUCK

MODEL			HPT25	HPT30	HPT25Q/HPT30Q
FEATURE					
1.1	capacity	kg	2500	3000	
1.2	pump type		Integrated Pump	Integrated Pump	Integrated Quick Pump
WHEEL					
2.1	wheel size,Rear (Nylon)	ΦD mm	φ200×50	φ200×50	φ200×50
2.2	wheel size,single front (Nylon)	Φd mm		φ80×93	
2.3	wheel size,double front (Nylon)	Φd mm		φ80×70	
DIMENSIONS					
3.1	lifting height	h mm	115	115	115
3.2	Height of tiller handle	mm		1230	
3.3	max. fork lifting height	H mm		200	
3.4	Lowered height of fork	H1 mm		85	
3.5	fork outside distance	W mm		540	
3.6	fork length	L mm	800/900/1000/1150/1500/1800/2000/2400		
3.7	fork width	S mm		160	
3.8	steel thickness(after painting)	mm		3	



HPT

HOT GALVANIZED

MADE IN INDIA

 NO ANTI-DUMPING DUTY

 0% IMPORT DUTY

HAND PALLET TRUCK

MODEL			HPT25G	HPT30G
FEATURE				
1.1	capacity	kg	2500	3000
1.2	pump type		Integrated Pump	Integrated Pump
WHEEL				
2.1	wheel size,Rear (Nylon)	ΦD mm	φ200×50	φ200×50
2.2	wheel size,single front (Nylon)	Φd mm		φ80×93
2.3	wheel size,double front (Nylon)	Φd mm		φ80×70
DIMENSIONS				
3.1	lifting height	h mm	115	115
3.2	Height of tiller handle	mm		1230
3.3	max. fork lifting height	H mm		200
3.4	Lowered height of fork	H1 mm		85
3.5	fork outside distance	W mm		540
3.6	fork length	L mm	800/900/1000/1150/1500/1800/2000/2400	
3.7	fork width	S mm		160
3.8	steel thickness(after painting)	mm		3

